



EMH Breeding Muesli

Breeding Feed

Feed supplement for horses and ponies

Highly pregnant and lactating mares, as well as growing foals, have high demands when it comes to the quantitative and qualitative supply of nutrients. EMH Stud Muesli contains a particularly high protein content and fully expanded cereals. The composition is perfectly balanced with all important vitamins, minerals and trace elements to suit the increased needs of horses. The muesli is universally usable for highly pregnant and lactating mares, weanlings and stallions. With its high-quality protein building blocks, fertility, lactation and sperm production are positively affected. The excellent taste also ensures an early feed intake of foals and, therefore, the perfect development of the animals. Due to the interaction of the top quality ingredients with EMH, mares are optimally prepared for the birth, and the healthy development of the foal in the womb is promoted. A short recovery phase after the birth enables the mare to produce adequate amounts of milk. EMH Stud Muesli ensures foals with vitality, productive mares and fertile stallions.

The benefits at a glance:

- demand-optimised ratio of trace elements
- balanced protein / energy ratio
- rich in essential amino acids
- balanced calcium / phosphorus ratio
- with ideal mineral and vitamin content

Recommended feeding:

Feeding recommendation:

pregnant mares:

- from 9th month: 300 g per 100 kg body weight per day
- until 11th month: 500 g per 100 kg body weight per day
- 1st - 3rd lactation month: 500 g - 650 g per 100 kg body weight per day

With smaller quantities, we recommend adding a mineral supplement.

Foals should only be given the muesli from their 4th week of life.

Composition: 23,1 % Barley (flaked), 18,8 % Oats, 18,8 % Corn flakes, 7,9 % Soybean extraction meal steam heated, 5,0 % Sugar beet molasses, 3,9 % Sunflower extraction meal, 3,8 % Linseed meal, 3,5 % Wheat bran, 3,0 % Peas (flaked), 2,7 % Oat peel bran, 2,2 % Lucerne meal, 2,1 % Calcium carbonate, 1,6 % Dicalcium phosphate, 0,9 % Milk thistle oil, 0,8 % Dried beet pulp (molassed), 0,6 % Fermented plant extract (EMH), 0,5 % Sodium chloride, 0,3 % Magnesium oxide, 0,1 % Brewers yeast, 0,1 % Brewer's grains dried

Digestible protein (dCP): 120,5 g/kg





prececal digestible protein (pcvRp): 96,5 g/kg
Digestible energy (MJ DE): 11,6 MJ DE/kg
Metabolizable energy (MJ ME): 10,3 MJ ME/kg

Analytical constituents and levels: 15,00 % Crude protein, 3,60 % Raw fat, 6,80 % Crude fibre, 8,00 % Crude ash, 1,40 % Calcium, 0,70 % Phosphorus, 0,20 % Sodium, 0,30 % Magnesium, 0,70 % Lysine, 0,30 % Methionine, 33,90 % Starch, 4,90 % Sugar

Additives per kg: 20.000 I.E. Vitamin A (3a672a)^{NA}, 2.000 I.E. Vitamin D3 (3a671)^{NA}, 100,00 mg Vitamin E (3a700)^{NA}, 90,00 mg Vitamin C (3a312)^{NA}, 10,00 mg Vitamin B1 (3a821)^{NA}, 10,00 mg Vitamin B2 (3a825i)^{NA}, 10,00 mg Vitamin B6 as pyridoxine hydrochloride (3a831)^{NA}, 25,00 mg Niacin (3a314)^{NA}, 20,00 mg Calcium D pantothenate (3a841)^{NA}, 325,00 mcg Biotin (3a880)^{NA}, 4,00 mg Folic acid (3a316)^{NA}, 28,00 mg Choline chloride (3a890)^{NA}, 85,00 mg Iron (3b103) (iron (II) sulphate, monohydrate)^{NA}, 95,00 mg Manganese (3b502) (manganese (II) oxide)^{NA}, 15,00 mg Manganese (3b504) Manganese chelate of amino acids, hydrate^{NA}, 27,00 mg Copper (3b405) (copper (II) sulphate, pentahydrate)^{NA}, 10,00 mg Copper (3b406) copper (II) - amino acid chelate, hydrate^{NA}, 150,00 mg Zinc oxide (3b603)^{NA}, 22,00 mg Glycine-zinc chelate hydrate (3b607)^{NA}, 0,85 mg Selenium (3b801) (sodium selenite)^{NA}, 1,30 mg Calcium iodate, anhydrous (3b202)^{NA}, 145,00 mg L-lysine monohydrochloride, techn. pure (3c322)^{NA}, 560,00 mg DL-methionine, techn. pure (3c301)^{NA}, 335,00 mg Propionic acid (1k280), 324,00 mg Propionsäure aus Natriumpropionat (1k281)^{TA}, 554,00 mg Propionsäure aus Calciumpropionat (1a282)^{TA}

NA = Nutritional additives
ZA = Zootechnical additives
TA = Technological additives
SA = Sensory additives

